# Amplify OneRoster Enrollment: demographics.csv

The demographics.csv file contains demographic information for the users identified as students in users.csv. While demographics are often optional within organizations, the demographics.csv file is required for your enrollment to be processed. A header row is required for this file, and the Column Field Header must be in the header row for each of the required fields. Eight of the demographic categories are included by default in demographics.csv; 10 additional categories may be manually added as metadata if you would like to capture these student demographics, and the complete string — including "metadata." — must be included in the Column Field Header. The Column Field Header also must match the capitalization shown in the table below, or the file will not be processed.

Please note that the Amplify OneRoster Enrollment uses bulk upload, so all your demographics must be included each time you import demographics.csv; any omitted demographics will be removed from your enrollment when it is exported into Amplify systems.

The following terms and definitions will be useful as you familiarize yourself with demographics.csv.

- The Common Education Data Standards (CEDS) — An education data management initiative to standardize the language and tools that store and manage educational data. The demographics in this file are all CEDS compliant.

- Enumeration — A controlled set of accepted values for an attribute that has been defined by OneRoster. When multiple values are allowed for an attribute, each value will be described; please note that these values are case sensitive.

- GUID Reference — A reference to a GUID that already exists within this or another CSV file.

- Metadata — A way of extending the OneRoster data model to include values that are not defined by default. The naming convention for these fields includes "metadata." followed by the name of the value set you want to ingest in camel case.

| Required | Column Field Header | OneRoster Data Type | Description |
|---|---|---|---|
| Yes | sourcedId | GUID Reference | The sourcedId for a user of type 'student' from users.csv. Each student can have only one demographics record. |
| No | status | Enumeration | Cannot be used with bulk uploads, as all demographics within the file are considered active. Values other than [null] will be ignored. |
| No | dateLastModified | DateTime | Cannot be used with bulk uploads. Values other than [null] will be ignored. |
| No | birthDate | Date | The student's date of birth, following the format YYYY-MM-DD. |
| No | sex | Enumeration | The student's gender:<br>• female<br>• male<br>Future schema versions will also allow for nonbinary students. |
| No | americanIndianOrAlaskaNative | Enumeration | Permitted values:<br>• true, yes<br>• false, no |
| No | asian | Enumeration | Permitted values:<br>• true, yes<br>• false, no |

| Required | Column Field Header | OneRoster Data Type | Description |
|---|---|---|---|
| No | blackOrAfricanAmerican | Enumeration | Permitted values:<br>• true, yes<br>• false, no |
| No | nativeHawaiianOrOtherPacificIslander | Enumeration | Permitted values:<br>• true, yes<br>• false, no |
| No | white | Enumeration | Permitted values:<br>• true, yes<br>• false, no |
| No | demographicRaceTwoOrMoreRaces | Enumeration | Permitted values:<br>• true, yes<br>• false, no |
| No | hispanicOrLatinoEthnicity | Enumeration | Permitted values:<br>• true, yes<br>• false, no |
| No | countryOfBirthCode | String | The country where the student was born, using the Country of Birth codes from the CEDS. |
| No | stateOfBirthAbbreviation | String | The state where the student was born, using the State of Birth codes from the CEDS. |
| No | cityOfBirth | String | The city where the student was born. |
| No | publicSchoolResidenceStatus | String | An indication of the student's legal residence relative to the boundaries of the public school attended and its administrative unit, using the Public School Residence Status from CEDS. |
| No | metadata.otherRaceIndicator | Metadata | An indicator that the student is of a race other than those enumerated in the standard demographics columns. Permitted values:<br>• true, yes<br>• false, no |
| No | metadata.homeLanguage | Metadata | The language spoken in the student's home, using a language code from the CEDS. |
| No | metadata.englishLearnerStatus | Metadata | An indicator that the student is identified as an "English learner." Permitted values:<br>• true, yes<br>• false, no |
| No | metadata.ideaIndicator | Metadata | An indicator that the student receives special education or related services according to an IEP, IFSP, or service plan. Permitted values:<br>• true, yes<br>• false, no |

| Required | Column Field Header | OneRoster Data Type | Description |
| --- | --- | --- | --- |
| No | metadata.disabilityStatus | Metadata | An indicator that the student is classified as disabled under the Americans with Disability Act (ADA). Permitted values:<br>• true, yes<br>• false, no |
| No | metadata.primaryDisabilityType | Metadata | The major or overriding disability condition that best describes a person's impairment, as indicated using a code from the CEDS. |
| No | metadata.section504Status | Metadata | An indicator that the student is provided with related aids and services under Section 504 of the Rehabilitation Act of 1973. Permitted values:<br>• true, yes<br>• false, no |
| No | metadata.economicDisadvantageStatus | Metadata | An indicator that the student met the state criteria for classification as having an economic disadvantage. Permitted values:<br>• true, yes<br>• false, no |
| No | metadata. eligibilityStatusForSchoolFoodServicePrograms | Metadata | The student's level of eligibility to participate in the National School Lunch Program for breakfast, lunch, snack, supper, and milk programs, as indicated using a code from the CEDS. |
| No | metadata.migrantStatus | Metadata | An indicator that the student is (or is in the care of) a migratory worker who has moved in the preceding 36 months because of temporary or seasonal employment. Permitted values:<br>• true, yes<br>• false, no |